

RECEIVED
CENTRAL FAX CENTER

U.S. Serial No.: 10/067,610

JAN 11 2006

Amendment To The Claims:

1. (Currently amended) A communication authorization method, comprising the steps of:

a third party server receiving a request for access information to access content;

generating the access information to access the desired content from a first application server;

generating authentication of the access information using a first service ticket to the first application server; and

sending the access information and authentication to a client, whereby the client presents the access information and authentication to the first application server to be authorized to receive the desired content from the first application server.

2. (Canceled)

3. (Original) The method as claimed in claim 1, wherein the step of generating the access information including generating session rights and encrypting at least a portion of the session rights using a third party server service key for the first application server.

4. (Currently amended) The method as claimed in claim 1, further comprising the step of:

~~encrypting~~ generating at least a portion of the authentication using the first service ticket.

U.S. Serial No.: 10/067,610

5. (Original) The method as claimed in claim 4, further comprising the steps of:
requesting a ticket granting ticket (TGT ticket);
receiving a TGT ticket;
requesting the third party server service ticket for the first application server; and
receiving the third party server service ticket for the first application server.

6. (Currently amended) The method as claimed in claim 1, further comprising the steps of:
the application server receiving a key request including the access information and authentication;
extracting the access information and authentication;
verifying the authentication of the access information using the first service ticket, and client authorization; and
issuing a key reply if the authentication of the access information and client authorization are verified.

7. (Original) The method as claimed in claim 6, further comprising the steps of:
a client generating a key request including the access information and the authentication;
sending the key request to the first application server; and
receiving the key reply (KEY_REP) if the authentication of the access information and client authorization are verified by the first application server.

U.S. Serial No.: 10/067,610

8. (Original) A method for verifying authorization for a client to gain access to content and/or services, comprising the steps of:

receiving a key request;

extracting third party server access information and third party server authentication from the key request;

verifying an authentication of the third party access information and a client authorization; and

issuing a key reply if the authentication of the third party access information and the client authorization are verified.

9. (Original) The method as claimed in claim 8, further comprising the step of authenticating the third party server access information using the third party server authentication.

10. (Original) The method as claimed in claim 9, wherein the step of authenticating includes extracting a first service ticket from the authentication and authenticating the third party server access information using the first service ticket.

11. (Original) The method as claimed in claim 8, wherein the step of extracting the third party server authentication, further comprising the steps of extracting a session key from the key request; and the step of authenticating the access information including verifying a third party server signature using the session key.

U.S. Serial No.: 10/067,610

12. (Original) The method as claimed in claim 11, wherein the step of extracting the session key including decrypting at least a portion of the key request using an application server service key and extracting the session key.

13. (Currently amended) The method as claimed in claim 8, further comprising the steps of:

the third party server receiving a request for the access information to access content;
generating the third party server access information to access the desired content from a first application server; and
generating the third party server authentication of the access information.

14. (Original) The method as claimed in claim 13, wherein the step of generating the third party server authentication including incorporating a third party server service ticket for the first application server.

15. (Original) The method as claimed in claim 14, wherein the step of generating the authentication including generating a signature utilizing a session key of the third party server service ticket.

16. (Original) The method as claimed in claim 14, wherein the steps of verifying the authentication of the access information including extracting the third party server service ticket and verifying the third party server service ticket.

U.S. Serial No.: 10/067,610

17. (Currently amended) A method for providing secure communication when distributing services, comprising the steps of:

- a third party server receiving a selection for services;
- issuing access information for the services;
- issuing authentication of the access information;
- an application server receiving a key request from a client;
- verifying an authentication of the access information and a client authorization utilizing, at least in part, a first service ticket; and
- issuing a key reply to a client if the authentication of the access information and the client authorization are verified.

18. (Currently amended) The method as claimed in claim 17, further comprising the steps of:

- a KDC receiving a first service ticket request from a third party server for the application ~~a first server~~;
- the KDC issuing the first service ticket to the third party server for the application first server; and
- the steps of the third party server issuing access information and authentication including generating the access information and authentication using the first service ticket.

19. (Currently amended) The method as claimed in claim 17, further comprising the steps of:

U.S. Serial No.: 10/067,610

the KDC receiving a second service ticket request from a client for the application first server;

issuing a second service ticket for the application first server; and

the step of the application server receiving a key request from a client wherein the key request includes the second service ticket.

20. (Currently amended) The method as claimed in claim 17, wherein: the step of the application server verifying the authentication of the access information including:

extracting the first service ticket;

decrypting the first service ticket;

extracting a session key from the first service ticket;

generating a signature using the session key; and

verifying the signature over the access information with the session key authentication.